

(B11)

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 64-086118

(43)Date of publication of application : 30.03.1989

---

(51)Int. CI. G02F 1/33  
G02B 3/00

---

---

(21)Application number : 63-135252 (71)Applicant : NIPPON SHEET GLASS CO LTD  
TAKAGI TOSHINORI  
(22)Date of filing : 01.06.1988 (72)Inventor : TAKAGI TOSHINORI  
NISHIZAWA KOICHI  
KATAYAMA SHINYA


---

## (54) OPTICAL DEFLECTING ELEMENT

## (57)Abstract:

PURPOSE: To reduce the size as compared with a conventional product by forming a thin film of a material which generates a surface acoustic wave by electric excitation on an end surface of a distributed index lens.

CONSTITUTION: There are ZnO, TeO<sub>2</sub>, CeO<sub>2</sub>, etc., as the material which generates the surface acoustic wave by electric excitation and a film of single or plural layers of different composition is formed sticking on the end surface of the distributed index lens 1 normally to  $\leq 1\mu\text{m}$  thickness. A transducer 3 generates the surface acoustic wave on a deflecting thin film 2 to deflect and diffracted a light beam 5 incident on the distributed index lens 1 with the surface wave. Consequently, the need for individual assembly adjusting operation such as the alignment and relative positioning between the lens 1 and a function element is eliminated completely to easily realize superminiature and light-weight constitution while mass-producing it at low cost.



## LEGAL STATUS

[Date of request for examination] .

[Date of sending the examiner's decision of rejection]